

**Seattle-2013:
4th International Academic
Research Conference on
Business, Education, Nature
and Technology**



**International Center for
Education & Technology**

2013

**Copyright © 2013 by International Center for Education & Technology
(USA)**

All rights reserved.

**Publisher is not responsible for the content of published authors'
articles.**

Published by ICET

ISBN 978-0-9856672-6-9

**Seattle-2013: 4th International Academic Research Conference on Business,
Education, Nature and Technology. Part 4: Kazakhstan. November 4-5, 2013,
Seattle, WA, USA**

This Part 4 contains the research publications of Kazakhstan professors, teachers
and students.

Thanks to these articles in materials of 4th International Academic Research
Conference on Business, Education, Nature and Technology, the broad scientific
community can learn about the Kazakhstan's science and discover this young
independent country.

**Printed in the United States of America
109 E Lamme Street, Bozeman, MT 59715. USA**

Kurman
REGEN
FORES
Eleon
Sattar
. p.16
Nabira
EDUC
Gulnaz
AWAI
Saule
Khayr
Uldan
CHLA
Sharap
Aliya
p.30
Yerki
PRO
Bekz
ANT
KAZ
Resh
POW
Mur
CHA
p/40
Bay
KAZ
Mur
OB
...
Mu
MO
Mu
BE
EN
Mu
EQ
OF
Mu
OB
PR
M
IN
M

CONTENTS

- Kurmangul Abayeva, Yerganat Kaspakbayev, Ainur Igembayeva. NATURAL REGENERATION OF SCOTS PINE (PINUS SILVESTRIS L.) ON BURNED IN THE PINE FOREST OF PRIIRTYSH . . . p.12
- Eleonora Abdol. POLY-LINGUAL EDUCATION: EXPERIENCE AND PROSPECTS . . . p.14
- Sattar Abdrakhmanov. PROVIDENCE OF SAFETY AND QUALITY OF THE PRODUCTS . . . p.16
- Nabira Abdrakhmanova, Sandugash Mukhtarova. DISCUSSION AS ONE OF THE FORMS OF EDUCATIONAL PROCESS . . . p.19
- Gulnaz Abdullayeva. CULTURAL LEARNING AND TEACHING CROSS-CULTURAL AWARENESS IN THE LANGUAGE CLASSROOM . . . p.21
- Saule Abdykarimova. TEACHING MATH ANALYSIS AT A UNIVERSITY . . . p.23
- Khayrulla Abeuov, Edil Mahashov, Aralbay Kuldeev, Kozhakhmet Baitursynov, Dinara Anuar, Uldana Seytzhanova, Laura Nysanbayeva. ELECTRON MICROSCOPIC STUDIES OF CHLAMYDIA GROWN IN CELL CULTURE . . . p.24
- Sharapat Abisheva. THE WRITER'S SKILL . . . p.27
- Aliya Abisheva. PROBLEM OF ALIENATION AND WHOLENESS OF THE SUBJECT . . . p.30
- Yerkin Abil. A SYSTEMATIC METHOD IN HISTORICAL RESEARCH: THEORETICAL PROBLEMS . . . p.32
- Bekzhan Abzalbekuly, Serik Munassipov, Ainur Onlabekova, Kenes Toguzbaev. ANTHROPOMETRIC RESEARCH OF FEET OF POPULATION IN THE REPUBLIC OF KAZAKHSTAN . . . p.35
- Reshat Abzhanov, Farida Zhandauletova. ACCELERATED METHOD OF HIGH-VOLTAGE POWER LINES DE-ICING . . . p.37
- Murat Adambaev, Khapiza Aitmahanova, Ainur Abiltaikyzy. AUDIOMETRIC CHARACTERISTICS OF DOULBE-CHAMBER BALL MILL OF "POLYSIUS" TYPE . . . p/40
- Bayan Abisheva. SYNCRETIC ART OF "ORTEKE" IN THE TRADITIONAL CULTURE OF KAZAKHS AND TURKIC PEOPLES . . . p.42
- Murat Adambaev, Akmaral Berdaly, Sara Mamyr. DEFINITION OF THE EQUATION OF OBJECT OF THE SECOND ORDER FROM THE MONOTONOUS CURVE OF DISPERSAL . . . p.45
- Murat Adambaev, Mereibek Dauletov, Bakdaulet Baitemirov. THE RESULTS OF MODELLING OF THE TWO STAGE DRY GRIGING PROCESS . . . p.48
- Murat Adambaev, Shyngys Karymsakov, Bayan Uteniyazova. THE RELATIONSHIP BETWEEN PRODUCTIVITY BALL MILL, AND THE SPEED OF ROTATION FLOW ENERGY . . . p.51
- Murat Adambaev, Shyngys Shynarbek, Symbat Zyabekova. DEFINITION OF THE EQUATION OF OBJECT OF THE SECOND ORDER FROM THE OSCILLATORY CURVE OF DISPERSAL . . . p.53
- Murat Adambaev, Bayan Uteniyazova, Chingis Karymsakov. STATEMENT OF THE OBJECTIVES OF THE STUDY OF STATISTICAL CHARACTERISTICS OF RANDOM PROCESSES . . . p.55
- Murat Adambayev, Zhuldyz Yeleussizova, Gul'mira Karabayeva. LABORATORY INVESTIGATIONS OF EFFICIENCY OF THE MILLING TECHNOLOGY WITH INSIDE-MILL CHARGE'S VARIABLE MOVEMENT TRAJECTORY . . . p.57


- Bibigul Nurasheva, Aigul Asylbekova. PROBLEM ISSUES OF NATIONAL LANGUAGE IN CONSIDERATION OF LABOR DISPUTES IN CIVIL PROCEEDINGS ... p.326
- Kulyanda Nurasheva, Aymzhan Zhakeshova. PROBLEMS OF EEC EDUCATIONAL SYSTEMS INTEGRATION IN THE PERSPECTIVE OF GLOBAL CHALLENGES ... p.328
- Turgangul Nurbatyrova. MODERN TECHNOLOGIES OF DISTANCE EDUCATION ... p.331
- Kadisha Nurgali, Zhulduz Kishkenbayeva. THE AUTHOR IN A WORK OF LITERATURE ... p.333
- Kadisha Nurgali. KAZAKH PROSE WRITERS IN THE MODERN UNDERSTANDING ... p.335
- Zhanar Nurgalieva, Saule Kurmanbekova, Assel Tulebaeva. MORPHOMETRIC PARAMETERS OF HEART DISEASE IN OBESE CHILDREN WITH HYPERTENSION ... p.338
- Borankul Nurpeisov. WAYS OF IMPROVING THE STATE REGULATION OF NATURAL MONOPOLIES ... p.340
- Sara Nurumova. RESEARCH OF THE EFFECTIVENESS OF POLYMER FLOODING ON NORTH BUZACHI OILFIELD ... p.342
- Zhainash Nurzhanova. INFORMATIZATION OF EDUCATION IN MODERN EDUCATION SYSTEM ... p.345
- Sergei Oleichenko, Saidam Kaimova. INCREASE OF THE ADAPTIVE POTENTIAL OF VINICULTURE IN KAZAKHSTAN WITH THE SCHEMATICALLY DIRECTED LEAF-FEEDING OF PLANTS ... p.347
- Assel Omarbekova, Altynbek Sharipbay. GENERATOR OF ELECTRONIC EDUCATIONAL PUBLICATIONS ... p.350
- Marat Omarov. GROWTH AND DEVELOPMENT OF YOUNG ANIMALS OF SELETINSKY FACTORY TYPE KAZAKH TOAD HORSES ... p.354
- Darkhan Onaltayev. ISLAMIC FINANCE IN THE GLOBAL FINANCIAL SYSTEM ... p.357
- Batyr Orazbayev, Ainur Mukhanbetkaliyeva, Kulman Orazbayeva, Zhanargul Kabylhamit. TASKS AND ALGORITHM IN DECISION MAKING FOR OPTIMISATION OF WORKING REGIMES FOR OIL PIPELINES IN A FUZZY ENVIRONMENT ... p.359
- Gulzhan Orazova, Aigul Bukanova, Nadir Nadirov. PROSPECTS OF DEEP PROCESSING OF CRUDE OIL BY THE FUEL AND OIL SCHEME AT ATYRAU OIL REFINERY ... p.362
- Tatyana Pritvorova, Dina Bektleeva. INCOMES OF HOUSEHOLDS WITH CHILDREN: THE POSITIVE TRENDS AND THE PARADOXES OF SOCIAL TRANSFERS ... p.366
- Gulnur Raikhanova, Nesip Yeskendir. INDUSTRY IMPROVEMENT AND INNOVATIONS IN KAZAKHSTAN ... p.368
- Botagoz Sabataeva. EVENT-TOURISM: INTERNATIONAL EXPERIENCE AND KAZAKHSTAN ... p.371
- Alisher Sadykov, Mariya Zhumabayeva. EURASIAN UNION: ANALYSIS OF CURRENT STATE AND PERSPECTIVES OF DEVELOPMENT ... p.373
- Amanzhan Saginayev, Yuriy Borisov. GEOMETRICAL STRUCTURES AND THERMODYNAMIC PROPERTIES OF ALKYLADAMANTANES OF C₁₂H₂₀ COMPOUND ... p.375
- Ruzalya Saigaparova. THE POWER SUPPLY EFFICIENCY IN A REAL SECTOR OF ECONOMY ... p.378
- Gaini Seitenova, Ainagul Kolpek, Gulnara Abdullina. METHOD OF PRODUCING p-AMINOSALICYLIC ACID ... p.380
- Andiya Serikbayeva. NEW STANDART – NEW QUALITY ... p.382
- Sholpan Shalbaeva, Aida Zakirova. FORMATION AND DEVELOPMENT OF MANAGERIAL LEADERSHIP SKILLS ... p.386

- энергетического сектора // Открытый семинар "Экономические проблемы энергетического комплекса", ИАП РАН, Москва, 2000.
5. Макаров А.А., Шапот Д.В., Лукацкий А.М., Малахов В.А. Инструментальные средства для количественного исследования взаимосвязей энергетики и экономики // Экономика и математические методы. – 2002. – Т. 38. – № 1. С. 45-56.
6. Филиппов С.П. Интегрированный подход к прогнозированию потребностей страны и регионов в энергоносителях на долгосрочную перспективу // Вестник СГТУ. – 2008. – №1 (31). С. 13-27.
7. "Институту энергетических исследований Российской академии наук – 25 лет". Под редакцией академика А.А. Макарова. – М.: ИЭИ РАН, 2010. – 160 с.
8. Zhang, W. and Yang Sh. The influence of energy consumption of China on its real GDP from aggregated and disaggregated viewpoints // Energy Policy. – 2013. – № 57. P. 76-81.
9. Kim L. Imitation to innovation: the dynamics of Korea's technological learning. Harvard Business School Press. 1997. – 230 p.
10. Mónica García-Ochoa Mayor, María Luisa Blázquez de la Hera and Enrique de Diego Ruiz. Empirical study of national technological innovation capability in Africa // SAJEMS NS. – 2012. – №4. P. 440-463.


METHOD OF PRODUCING p-AMINOSALICYLIC ACID

Gaini Seitenova, Ainagul Kolpek, Gulnara Abdullina


The invention relates to the field of synthetic organic chemistry and can be used in the pharmaceutical industry for producing anti-tuberculosis drugs "p-Aminosalicylic acid" (PAS) (I), «The sodium salt of p-aminosalicylic acid" (PAS-Na) (II) and "Calcium salt of p-benzoylamino salicylic acid "(BEPASK) (III).



I



II



III

Despite the other, more effective antituberculosis drugs, p-aminosalicylic acid and its derivatives retain their meaning as one of the components of combination chemotherapy (simultaneous treatment of multiple drugs) [1]. According to the order of the Minister of Health of the Republic of Kazakhstan on December 22, 2004 № 83 "On approval of the List of basic (vital) drugs" p-aminosalicylic acid is a part of a list of essential (vital) drugs such as antituberculosis drug.


Carboxylation of m-aminophenol by the Kolbe-Schmidt in an aqueous medium under pressure of carbon dioxide is the main industrial way to obtain p-aminosalicylic acid [2]. The synthesis consists of two stages: 1. carboxylation of m-aminophenol pressurized carbon dioxide at a temperature of 103-105°C with the presence of potassium bicarbonate; 2. extraction of p-aminosalicylic acid by the action of 50% aqueous sulfuric acid upon the purified solution of potassium m-aminosalicylate. One of the biggest disadvantages of this method for producing p-aminosalicylic acid is a need for a process of carboxylation of m-aminophenol in the presence of more than a molar excess of potassium bicarbonate to shift the reaction equilibrium towards the formation of potassium p-aminosalicylate. In connection with the foregoing, other more environmentally friendly methods for producing p-aminosalicylic acid are of interest. One of these methods is the use of alkali salts of alkyl carbonic acids as carboxylation agent. Alkaline salts of alkylcarbonic acids are easily synthesized by reacting carbon dioxide with an alkali metal alkoxide or by reaction of carbon dioxide with alkali metal halides and alcohols in the presence of organic bases [3-4]. A simple, convenient and economical way to get sodium ethylate and potassium is to interact ethanol with sodium hydroxide and potassium [5-6].

Prepatents RK #15017 is only one Patent used in the literature about application of the sodium and potassium salts of ethyl carbonate as the agent of the carboxylation of m-aminophenol for the synthesis of p-amino salicylic acid [7]. However, we found that described in this prepatents conditions obtain not p-amino salicylic acid but its sodium salt-PAS-Na as the result. Obviously, the authors were misled by incorrect reference data on the physical constants of p-amino salicylic acid: melting temperature of p-amino salicylic acid 220°C and 219-220°C [8]. According to some refined data the melting point of p-amino salicylic acid is 146-147°C and 147°C [9-11].

Kolbe-Schmidt's method of producing p-aminosalicylic acid by carboxylation of m-aminophenol with carbon dioxide is the closest to the suggested among other described methods. Synthesis of p-aminosalicylic acid is carried out under pressure of carbon dioxide in the aqueous medium in the presence of a fivefold excess of potassium bicarbonate at 96°C, process duration is 90 hours.

The most significant disadvantages of this method are the complexity of the reaction (using a large excess of potassium bicarbonate, a large amount of wash water), small yields of the desired product (50-60%) and longer duration of the process (90 hours).

The object of the invention is a method for preparing p-aminosalicylic acid and eliminating the above drawbacks. This is achieved by the fact that in contrast to the known process carboxylation of m-aminophenol is carried out by sodium salt of ethyl carbonate and heating the reactants at 150-170°C in carbon dioxide medium at a pressure of 6-10 bar for 4-6 hours.



Experiment. 2.72g (0.025 mol) of m-aminophenol and 3.08 g (0.025 mol) sodium ethyl carbonate are charged into a glass reactor placed in a steel autoclave, the autoclave is sealed, purged twice with carbon dioxide to remove the air and then filled with carbon dioxide to 8 bar, stirring and heating are turned on. The temperature of the reaction mixture is raised to 160°C during 4 hours, (temperature rise rate $\approx 35^\circ\text{C/h}$) and maintained at this temperature for 1 hour. Thereafter, stirring and heating are stopped, the autoclave is cooled to room temperature. The reaction mixture is treated with water. The resulting aqueous solution is extracted with ether to separate the unreacted m-aminophenol. After removing the solvent 1.0 g of the unreacted m-aminophenol is gained from the organic phase. The aqueous phase is cooled to $-1 - 0^\circ\text{C}$. Reaction product (p-aminosalicylic acid) is separated by acidification at $-1 - 0^\circ\text{C}$ of aqueous sulfuric acid phase. 2.4 g (62.8%) of p-aminosalicylic acid is obtained, melting temperature = $144-145^\circ\text{C}$. After recrystallization (ethanol) the melting temperature is 146°C . Yield of p-aminosalicylic acid reacted with m-aminophenol is 99.5%. The melting temperature is $146-147^\circ\text{C}$. From subsequent experiments it is shown that the most optimal reaction conditions are: temperature 160°C , pressure 8 bar, the duration of 5 hours.

Under these conditions the yield of the target product reaches 62.8% (or 99.5% for reacted with m-aminophenol). In comparing to the known method, using the proposed method for producing p-aminosalicylic acid provides the following advantages:

1. Eliminating the use of water as solvent;
2. Eliminating the use of a large excess of potassium bicarbonate;
3. Process duration is reduced from 90 hours to 5 hours.

References:

1. Musabekova G.A., Berikova E.A., Zhaparakulova M.A., Belova E.S., Ismailov Sh.Sh. The use of PAS in the

- treatment of multidrug resistance tuberculosis: Guidelines. – Almaty, 2007. P. 39.
2. Maiofis L.S. Chemistry and Technology of Chemical pharmaceuticals. Medicine, 1964. P. 257-259.
 3. Kurov V.I. About alkyl carbonate salts (alkyl carbonates of metals) // Journal of General Chemistry. 1951. V.21. No.3. P. 490-493.
 4. Auth. certificate No.168286 (USSR). A method for producing dialkyl carbonate esters / Pazenko Z.N., Vakarchuk I.S. // Bulletin inventions. 1965. No.4. P. 25.
 5. Prepatents RK No. 18068. A method for producing sodium ethoxide / Suerbaev H.A., Kanapieva F.M., Akhmetov G.B., Shalmagambetov K.M. // Industrial property. Official Bulletin 2006. No. 12. P. 9.
 6. Prepatents RK No. 19823. A method for producing potassium ethylate // Suerbaev H.A., Kanapieva F.M., Seilkhanov T.M. // Industrial property. Official Bulletin 2008. No. 8. P. 149.
 7. Prepatents RK No.15017. A method for producing p-amino salicylic acid / Suerbaev H.A., Beisembayeva A., Shalmagambetov K.M. // Industrial property. Official Bulletin 2004. No. 11. P. 86.
 8. Heylbran I., Banbury G.M. Dictionary of Organic Compounds. Moscow: Foreign Literature Publishing House. 1949. V.1. P. 127.
 9. Sheehan J.T. p-Aminosalicylic acid (4-Amino-2-hydroxybenzoic acid) // Journal of the American Chemical Society. 1948. V. 70, № 4. P. 1665.
 10. Chemical encyclopedia. Moscow: Publishing House 'Soviet Encyclopedia', 1988. T. 1. P. 144.
 11. Aldrich Catalog Handbook of Fine Chemicals. 1988-1989. P. 102.

NEW STANDART – NEW QUALITY

Andiya Serikbayeva

1. Introduction

Over two years ago Kazakhstan launched development, improvement and methods of introduction of the Malaysian halal standard MS 1500:2004, which fully complies with the Islamic canons and requirements. Currently, halal standard products, in particular, meat products are already widely popular. And this is not surprising: because halal means food products produced in accordance with the Muslim traditions, which are consumed by people of any nationalities and confessions. The Hadji Association of Kazakhstan even established the special technical committee for issues of an international standard MS 1500 – Halal Food.

Moreover, “halal” labeling is perceived to be additional quality guarantee and product safety, the mark meaning that it contains no harmful chemicals.

Animals killing is performed in accordance with Islamic norms. The livestock the day before killing shall be healthy. It is killed through intersection of cervical arteries, in a single step, without delay and interruption, with the name of Allah on the lips simultaneously with intersection of main cervical arteries and gullet, better closer to the head. Carotid artery of every animal is intersected so as blood may completely discharge, that cannot be achieved in existing ways of killing: nervous breakdown with electrical shock, brain affection using mechanical attack, anesthetizing using carbon dioxide and any other chemicals, coagulated blood of the animal stays in the meat.

In this case cortisol, stress hormones start discharging into the animal blood, which further on start entering the human body harmfully affecting the human health. This also immobilizes it during killing, that in turn results in significant or complete disturbance of blood extraction. It is of crucial importance that during killing of one animal, the others do not see this so as not to be scared and avoid stress and stress hormones release.

In accordance with religious norms it is extremely important that blood flows from killed animal under influence of “natural convulsion”.

Basic principles of the Islamic “Halal” mean humane treatment of animals and birds before killing, an animal should be alive and healthy, careful avascularization of animals with its heart functioning.

In II century of the last millenium Ibn Sina (Avicenna) was the first to demonstrate fear impact by the example of a lamb placed in cage located in close proximity to wolf's cage so that animals were within visual range of each other. The lamb relatively quickly died from developed

**Seattle-2013: 4th International Academic Research
Conference on Business, Education, Nature and Technology.
Part 4: Kazakhstan. November 4-5, 2013**

**Printed in the United States of America
109 E Lamme Street, Bozeman, MT 59715. USA**